




Products Worth the Investment.



AMBI-JACK 4.0 Checks All The Boxes.

-  **Ease of Application:** Easily penetrates erosion pockets to fill voids and lift sunken concrete.
-  **Quick Cure Time:** Cures within minutes resulting in full compressive strength quickly.
-  **Moisture Resistant:** With its hydrophobic design, the foam maintains its physical properties when injected into moist or wet areas.



AMBI-JACK 4.0

SLAB JACKING SYSTEM



AMBI-JACK 4.0 is an innovative technology created to inject foam under concrete to efficiently level slabs, sidewalks, and roadways by expanding under the surface, lifting and stabilizing uneven areas.

- ✓ **New and Innovative Technology**
- ✓ **Robust Mechanical Properties**
- ✓ **Water Blown Hydrophobic Foam**
- ✓ **Fast Cure**
- ✓ **Ask About Other Density Available**
- ✓ **TXDOT Approved**
- ✓ **NYSDOT Approved**

PHYSICAL PROPERTIES

PROPERTY	TEST METHOD	PRELIMINARY VALUE
Density	ASTM D1622	4.0 - 4.4 lbs.ft ³

New York State Department of Transportation (NYSDOT) Panel Test NYSDOT Panel Test GTP-9 is a Hydro-Insensitivity of High Density Polyurethane Foam Test

Hydro-Insensitivity	Pass
90% Compressive Strength < 30 min	Pass
Percentage of Density Retention > 90%	Pass

BE AMBITIOUS. Join The **AMBIT TEAM** Today.
817.677.1200 | www.AmbitPU.com



Copyright © 2020 AMBIT Polyurethane LLC. To the best of our knowledge, all technical data contained herein is true and accurate as of the date of issuance and subject to change without prior notice. User must contact AMBIT Polyurethane to verify correctness before specifying or ordering. We guarantee our products to conform to the quality control standards established by AMBIT Polyurethane. We assume no responsibility for coverage, performance or injuries resulting from use. Liability, if any, is limited to replacement of the product. NO OTHER WARRANTY OR GUARANTEE OF ANY KIND IS MADE BY AMBIT POLYURETHANE EXPRESSED OR IMPLIED; STATUTORY, BY OPERATION OF LAW, OR OTHERWISE, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. ALL PATENT RIGHTS ARE RESERVED.